

Literatura

1. J. Dutkiewicz, Electron microscope study of the effect of deformation on precipitation and recrystallization in copper-titanium alloys, *Metallurgical Transactions A* 8 (1977) 751-759.
2. J. Dutkiewicz, Spinodal decomposition, ordering, and discontinuous precipitation in deformed and aged copper-titanium alloys, *Met Technol* 5 (1978) 333-400.
3. J. Dutkiewicz, L. Lityńska, Zastosowanie dyfrakcji elektronowej do badania przemiany spinodalnej w stopach Cu-Ti i Al-Zn, V Konferencja Mikroskopii Elektronowej Ciała Stałego, Warszawa-Jadwisin (1978) 149-154.
4. J. Ryś, Z. Rdzawski, Influence of aging temperature and time on hardness and electrical conductivity of Cu-Cr alloy, *Metals Technology* 7/1 (1980) 32-35.
5. J. Ryś, Z. Rdzawski, J. Stobrawa, Examination of CuCr 0. 94 Alloy Microstructure After Heat Treatment, *Metalurgia i Odlewnictwo* 6/2 (1980) 177-186.
6. J. Stobrawa, Z Rdzawski, The Structure of Coherent Chromium and Iron Precipitates in Aged Copper Alloys, *Prace Instytutu Metali Nieżelaznych* 9/4 (1980) 221-224.
7. D. Stróż, The mechanism of particle coagulation inside grains of Cu-Fe-Sn alloys, *Archiwum nauki o materiałach* 7/3-4 (1986) 239-248.
8. D. Stróż, D. T. Panek, H. Morawiec, Influence of the addition of a third element to the precipitation process in Cu-Fe alloys, *Materials Science and Engineering* 58 (1983) 43.
9. Z Rdzawski, J Stobrawa, Thermomechanical processing of Cu-Ni-Si-Cr-Mg alloy, *Materials Science and Technology* 9/2 (1993) 142-150.
10. T.J. Konno, R. Nishio, S. Semboshi, T. Ohsuna. E. Okunishi, Aging behavior of Cu-Ti-Al alloy observed by transmission electron microscopy, *Journal Master. Science* 43 (2008) 3761-3768.
11. S. Semboshi, T. Al-Kassab, R. Gemma, R. Kirchheim, Microstructural evolution of Cu-1 at% Ti alloy aged in a hydrogen atmosphere ant its relation with the electrical conductivity, *Ultramicroscopy* 109 (2009) 593-598.
12. S. Semboshi, T. Nishida, H. Numakura, Microstructure and mechanical properties of Cu-3% at. Ti alloy aged in a hydrogen atmosphere, *Materials Science and Engineering A* 517 (2009) 105-113.
13. D.P. Lu, J. Wang, W.J. Zeng, Y. Liu, L.Lu, B.-D. Sun, Study on high-strength and high-conductivity Cu-Fe-P alloys, *Materials Science and Engineering A* 421 (2006) 254-259.
14. D. Zhao, Q. M. Dong, P. Liu, B. X. Kang, J. L. Huang, Z. H. Jin, Aging behavior of Cu-Ni-Si alloy, *Materials Science and Engineering A361* (2003) 93-99.
15. S. Nagarjuna, D.S. Sarma, Effect of cobalt additions on the age hardening of Cu-4.5Ti alloy, *Journal Of Materials Science*, 37 (2002) 1929-1940.
16. R. Markandeya, S. Nagarjuna, D.S. Sarma, Precipitation Hardening of Cu-3Ti-1Cd Alloy, *Journal of Materials Engineering and Performance* 16 (2007) 640-646.
17. S. Nagarjuna, M. Srinivas, K. Balasubramanian, D.S. Sarma, The alloy content and grain size dependence of flow stress In Cu-Ti alloys, *ActaMaterialia* 44/6 (1996) 2285-2293.
18. S. Nagarjuna, K. Balasubramanian, D.S. Sarma, Effect of Ti additions on the electrical resistivity of copper, *Materials Science and Engineering* 225 (1997) 1118-1124.
19. S. Nagarjuna, K. Balasubramanian, D.S. Sarma, Effect of Cold Work on Percipitation Hardening of Cu-4,5 mas. %Ti alloy, *Materials Transactions* 36/8 (1995) 1058-1066.
20. R. Markandeya, S. Nagarjuna, D.S. Sarma, Characterization of prior cold worked and age hardened Cu-3Ti-1Cd alloy, *Materials Characterization* 54 (2005) 360-369.
21. S. Nagarjuna, M. Srinivas, K. Balasubramanian, D.S. Sarma, Effect of alloying content on high cycle fatigue behaviour of Cu-Ti alloys, *International Journal of Fatigue* 19/1 (1997) 51-57.
22. S. Nagarjuna, M. Srinivas, K. Balasubramanian, D.S. Sarma, Effect of modulations on yield stress and strain hardening exponent of solution treated Cu-Ti alloys, *Scripta Materialia* 38/9 (1998) 1469-1474.
23. S. Nagarjuna, K. Balasubramanian, D.S. Sarma, Effect of prior cold work on mechanical properties and structure of an age-hardened Cu-1.5wt% Ti alloy, *Journal of Materials Science* 32 (1997) 3375-3385.

24. S. Nagarjuna, M. Srinivas, Elevated temperature tensile behaviour of a Cu-4.5Ti alloy, *Materials Science and Engineering A* 406 (2005) 186-194.
25. T. Radetic, V. Radmilovic, W.A. Soffa, Electron microscopy observations of deformation twinning In a precipitation hardened copper-titanium alloy, *Scripta Materialia* 35/12 (1996) 1403-1409.
26. T. Radetic, V. Radmilovic, W.A. Soffa, Electron microscopy observations of twin-twin intersections In a particie hardened copper-titanium alloy, *Scripta Materialia* 40/7 (1999) 845-852.
27. D.E. Laughlin, W.A. Soffa, Spinodal Structures, *Metals Handbook, Ninth Edition: Metallography and Microstructures*, American Society for Metals 9 (1985) 652-654.
28. A. Datta, W.A. Soffa, The structure and properties of age hardened Cu-Ti alloys, *Acta Metallurgica*, 24/11 (1976) 987-1001.
29. US4606889 A Copper-titanium-beryllium alloy.
30. US 6709557 B1 Sputter apparatus for producing multi-component metal alloy films and method for making the same.
31. Z. Rdzawski, *Miedź stopowa*, Wydawnictwo Politechniki Śląskiej, Gliwice 2009.
32. J. Langer, *Copper Alloys for Connectors, Springs and Lead Frazes*, Sundwiger Messingwerk GmbH and Co. KG., D-58675 Hemer, 2000; <http://www.diehlmetall-sz.cn/e-copper.pdf>
33. Katalog Le Bronze Industriel.
34. Katalog Brouwer Metaal, www.brouwermetaal.com
35. Katalog LAMIFIL, www.lamifil.be
36. Copper&Copper Alloys, Composition&Properties, Technical Note TN10, Copper Development Association 1986.
37. J. Miyake, M. Tsuji, High strength titanium copper for microelectronic applications, *Annua Connector and Interconnectiion Symposium*, San Diego 30.09-02.10. 1991,
38. J. Dutkiewicz, Mechanizm przemiany spinodalnej i nieciągłej oraz procesów uporządkowania w starzonych stopach o sieci Al, *Zeszyty Naukowe AGH Metalurgia i Odlewnictwo* 80 (1977).
39. S. Bzowski, S. Gorczyca, Phase transformation in Cu-Ti alloys, *Metallurgy* 29 (1981) 79-113.
40. Katalog VAC Vacuumschmelze, Beryvac Kupfer-Beryllium Legierungen.
41. Katalog SMW Stolberger Metallerke.
42. W. Ozgowicz, E. Kalinowska-Ozgowicz, B. Grzegorzczk, Thermomechanical treatment of low-alloy copper alloys of the kind CuCo2Be and CuCo1NiBe, *Journal of Achievements in Materials and Manufacturing Engineering* 46/2 (2011) 161-168.
43. W. Ozgowicz, E. Kalinowska-Ozgowicz, B. Grzegorzczk, The influence of the temperature of tensile test on the structure and plastic properties of copper alloy type CuCr1Zr, *Journal of Achievements in Materials and Manufacturing Engineering* 29/2 (2008) 123-136.
44. W. Ozgowicz, G. Nawrat, Electrolytic extractions obtained from Cu-Zr and Cu-Ce alloys and their X-ray phase analysis, *Journal of Achievements in Materials and Manufacturing Engineering* 20 (2007)171-174.
45. S. Gorczyca, M. Blicharski, *Rekrystalizacja z udziałem drugiej fazy*, Wydawnictwo Śląsk, Katowice 1982
46. J. Adamczyk, *Inżynieria materiałów metalowych. Cz. 2.*, Wydawnictwo Politechniki Śląskiej, Gliwice 2004.
47. J. Adamczyk, *Metaloznawstwo teoretyczne 2. Przemiany fazowe*, Wydawnictwo Politechniki Śląskiej, Gliwice 1991.
48. J. Konieczny, Z. Rdzawski, W. Głuchowski, Microstructure and properties of CuTi4 alloy, 13th International Materials Symposium (IMSP'2010) Pamukkale University, Denizli, Turkey (2010) 955-962.
49. J. Konieczny, Application of the artificial neural networks for prediction of hardness of alloyed copper, *Journal of Achievements in Materials and Manufacturing Engineering* (2012) 529-535.
50. J.A. Cornie, A. Datta, W.A. Soffa, An electron microscopy study of precipitation in Cu-Ti sideband alloys, *Metall Trans* 4 (1973) 727-733.
51. L. Blacha, W. Szkliniarz, A. Kościelna, A. Dudzik-Truś, Wpływ parametrów przesycaenia i starzenia ma mikrostrukturę i właściwości stopów układu Cu-Ti, *Inżynieria Materiałowa* 1 (2010) 42-45.
52. L.A. Dobrzański, *Metalowe materiały inżynierskie*, WNT, Warszawa 2004.

53. L.A. Dobrzański, Podstawy nauki o materiałach i metaloznawstwo, Materiały inżynierskie z podstawami projektowania materiałowego, WNT, Gliwice-Warszawa 2002.
54. J. Adamczyk, Inżynieria materiałów metalowych 1, Wydawnictwo Politechniki Śląskiej, Gliwice 2004.
55. PN-H-01051:1997 Miedź i stopy miedzi - Materiały – Terminologia.
56. PN-ISO 197-2:1997 Miedź i stopy miedzi - Wyroby nie przerobione plastycznie – Terminologia.
57. PN-ISO 197-3:1997 Miedź i stopy miedzi - Wyroby przerobione plastycznie – Terminologia.
58. ISO 197-2; ISO 197-2:1983, Copper and copper alloys - Terms and definitions - Part 2: Unwrought products (Refinery shapes).
59. ISO 197-3 Copper and copper alloys - Terms and definitions - Part 3: Wrought products
60. A. Ciszewski, T. Radomski, A. Szummer, Metaloznawstwo, Oficyna Wydawnicza Politechniki Warszawskiej, Warszawa 2003.
61. T. Mazanek, Metalurgia ogólna. Gliwice, Wydawnictwo Politechniki Śląskiej, Gliwice 1971.
62. M. Tokarski Metaloznawstwo metali i stopów nieżelaznych, Wydawnictwo Śląsk, Katowice 1985.
63. PN-H-87053:1979 Miedź stopowa
64. D.W. Lee, B.K. Kim, Nanostructured Cu-Al₂O₃ composite produced by thermochemical process for electrode application, *Materials Letters* 58 (2004) 378-383.
65. V. Rajković, D. Božić, M.T. Jovanović, Characteristics of Cu-Al₂O₃ composites of various starting particle size obtained by high-energy milling, *Journal of the Serbian Chemical Society* 74/5 (2009) 595-605.
66. V. Ya. Berent, Heat-resistant high-conductivity materials, *Metallovedenie i Termicheskaya Obrabotka Metallov* 10 (1980) 41-44.
67. EN 1172:1996 Miedź i stopy miedzi - Blachy i taśmy dla budownictwa
68. Z. Rdzawski, J. Stobrawa, W. Głuchowski, J. Konieczny, Thermomechanical processing of CuTi4 alloy, *Journal of Achievements in Materials and Manufacturing Engineering* 42/1-2 (2010) 9-25.
69. S. Nagarjuna, M. Srinivas, Grain refinement during high temperature tensile testing of prior cold worked and peak aged Cu-Ti alloys: Evidence of superplasticity, *Materials Science and Engineering A* 498 (2008) 468-474.
70. S. Nagarjuna, K. Balasubramanian, D.S. Sarma, The strain dependence of flow stress in an aged Cu-1.5Ti alloy, *Scripta Materialia* 35/2 (1996) 147-150.
71. L. Blacha, G. Siwiec, A. Kościelna, A. Dudzik-Truś, Wpływ zawartości tytanu na mikrostrukturę i właściwości stopów układu Cu-Ti, *Inżynieria Materiałowa* 6 (2009) 520-524.
72. S. Nagarjuna, M. Srinivas, High temperature tensile behaviour of a Cu-1.5 wt.% Ti alloy, *Materials Science and Engineering A* 335 (2002) 89-93.
73. S. Nagarjuna, D.S. Sarma, On the variation of lattice parameter of Cu solid solution with solute content in Cu-Ti alloys, *Scripta Materialia*, 41/4 (1999) 359-63.
74. S. Nagarjuna, M. Srinivas, K. Balasubramanian, D.S. Sarma, On the deformation characteristic of solution treated Cu-Ti alloys, *Scripta Metallurgica et Materialia* 33/9 (1995) 1455-1460.
75. R. Markandeya, S. Nagarjuna, D.S. Sarma, Effect of prior cold work on age hardening of Cu-4Ti-1Cr alloy, *Materials Science and Engineering A* 404 (2005) 305-313.
76. S. Nagarjuna, K. Balasubramanian, D.S. Sarma, Effect of prior cold work on mechanical properties, electrical conductivity and microstructure of aged Cu-Ti alloys, *Journal of Materials Science* 34 (1999) 2929-2942.
77. S. Nagarjuna, U. Chinta Babu, Partha Ghosal, Effect of cryo-rolling on age hardening of Cu-1.5Ti alloy, *Materials Science and Engineering A* 491 (2008) 331-337.
78. A.A. Hameda, L. Błaż, Microstructure of hot-deformed Cu-3.45 wt.% Ti alloy, *Materials Science and Engineering A* 254 (1998) 83-89.
79. A.A. Hameda, L. Błaż, Flow softening during hot compression of Cu-3.45 wt.% Ti alloy, *Scripta Materialia* 37/12 (1997) 1987-1993.
80. V. Lebreton, D. Pachoutinski, Y. Biennu, An investigation of microstructure and mechanical properties in Cu-Ti-Sn alloys rich in copper, *Materials Science and Engineering A* 508 (2009) 83-92.

81. D. Božić, O. Dimčić, B. Dimčić, I. Cvijović, V. Rajković, The combination of precipitation and dispersion hardening In powder metallurgy produced Cu-Ti-Si alloy, *Materiale Characterization* 59 (2008) 1122-1126.
82. Praca zbiorowa pod redakcją M. Głowackiej, *Metaloznawstwo*, Wydawnictwo Politechniki Gdańskiej, Gdańsk 1996.
83. J. Adamczyk, *Inżynieria materiałów metalowych 2*, Wydawnictwo Politechniki Śląskiej, Gliwice 2004.
84. J. Adamczyk, *Metaloznawstwo teoretyczne 2*, Odształcenie plastyczne, umocnienie i pękanie, Wydawnictwo Politechniki Śląskiej, Gliwice 2002.
85. Y. Iijima, K. Hoshino, K.I. Hirano, Diffusion of Titanium in Copper, *Metallurgical Transactions A* 8 (1977) 997-1001.
86. A. Laik, K. Bhanumurthy, G.B. Kale, B.P. Kashyap, Diffusion characteristics in the C-Ti system, *International Journal of Materials Research*, 6 (2012) 661-672.
87. T. Massalski, *Binary Phase Alloys Diagrams 7th ed*, ASM International, Materials Park, (1990) 1494.
88. J. Konieczny, Z. Rdzawski, Influence of cold working on microstructure and properties of annealing CuTi4 alloy, *Journal of Achievements in Materials and Manufacturing Engineering* 55/2 (2012) 331-338.
89. J. Konieczny, Z. Rdzawski, J. Stobrawa, W. Głuchowski, Hardness and electrical conductivity of cold rolled and aged CuTi4 alloy, VIII Ukraino-Polska Konferencja Młodych Naukowców „Mechanika i Informatyka” 11-14.05.2011, Chmielnicki, Ukraina, 94-95.
90. A. W. Thomson, J.C. Williams, Age hardening in Cu-2,5Wt Pct Ti, *Metallurgica Transactions A* 15 (1984) 931-937.
91. R. Markandeya, S. Nagarjuna, D.S. Sarma, Precipitation hardening of Cu-4Ti-1Cd alloy, *Journal of Materials Science* 39 (2004) 1579-1587.
92. R. Markandeya, S. Nagarjuna, D.S. Sarma, Precipitation hardening of Cu-Ti-Cr alloys, *Materials Science and Engineering A* 371 (2004) 291-305.
93. R. Markandeya, S. Nagarjuna, D.S. Sarma, Effect of prior cold work on age hardening of Cu-3Ti-1Cr alloy, *Materials Characterization* 57 (2006) 348-357.
94. S. Nagarjuna, K.K. Sharma, I. Sudhakar, D.S. Sarma, Age hardening studies in a Cu-4.5Ti-0.5Co alloy, *Materials Science and Engineering A* 313 (2001) 251-260.
95. P.E. Donovan, *Journal of Materials Science Letters* 4 (1985) 1337.
96. D.E. Laughlin, J.W. Cahn, Spinodal Decomposition in Age Hardening Copper-Titanium Alloys, *Acta Mater.* 23 (1975) 329-339.
97. W.A. Thompson, J.C. Williams, *Proceedings of the 8th International Congress of Electron Microscopy*, Australian Academy of Science Canberra 1 (1974) 660.
98. T. Hakkarainen, Doctor of Technology Thesis, Helsinki, University of Technology 1971.
99. C. Borchers, Catastrophic nucleation during decomposition of Cu-0.9at.% Ti, *Philosophical Magazine A* 79 (1999) 537-547.
100. *Properties and Selection, Non-Ferrous Alloys and Pure Metals*, Metals Handbook, ASM International, Ohio, 1990, 288.
101. R.C. Eacob, J.V. Bee, B. Ralph, The Cellular Reaction In Dilute Copper-Titanium Alloys, *Metallurgical Transactions A* 11 (1980) 1407-1414.
102. H.T. Michels, I.B. Cadoff, E. Levine, Precipitation hardening in Cu-3.6wt.% Ti. *Metall Trans*, 3 (1972) 667-674.
103. N. Boonyachut, Y. Peng, W.A. Soffa, D.E. Laughlin, On the product phases of the cellular transformation in Cu-Ti age hardening alloys, *Proc. Solid-to-Solid Phase Transformations in Inorganic Materials* 1 (2005) 687-694.
104. R.W. Fonda, M.A. Mangan, G.J. Shiflet, The Effect of Undercooling on the Cellular Precipitation Reaction in Cu-3 Pct Ti, *Metallurgical and Materials Transactions A* 29 (1998) 2101-2110.
105. A. Porter, A.W. Thompson, *Scripta Metall* 18 (1984) 1185.
106. R. Kinghts, P. Wilkes, *Acta Metallurgica* 21 (1973) 1503.

107. J. Konieczny, Z. Rdzawski, Misorientation in rolled CuTi4 alloy, *Archives of Materials Science and Engineering* 52/1 (2011) 5-12.
108. J. Konieczny, Z. Rdzawski, Structure of rolled CuTi4 alloy, *Journal of Achievements in Materials and Manufacturing Engineering* 50/1 (2012) 26-39.
109. Z. Kędzierski, *Przemiany fazowe w układach skondensowanych*, Uczelniane Wydawnictwa Naukowo-Dydaktyczne, Kraków 2003.
110. M.A. Mangan, G.J. Shiflet, Tree dimensional investigation of CuTi discontinuous precipitation, *Scripta Materialia* 37/4 (1997) 517-522.
111. J.C. Zhao, M.R. Notis, Spinodal decomposition, ordering transformation, and discontinuous precipitation in a Cu-15Ni-8Sn alloy, *Acta Materialia* 46/12 (1998) 4203-4218.
112. I.K. Razumov, Formation of intermediate ordered states on spinodal decomposition of alloys, *Journal of Engineering Physics and Thermophysics* 81/4 (2008) 826-833.
113. V. Sofonea, K.R. Mecke, Morphological characterization of spinodal decomposition kinetic, *The European Physical Journal B* 8 (1999) 99-112.
114. R.A. Fournelle, J.B. Clark, The cellular precipitation reaction, *Metallurgical Transactions* 3 (1972) 2757-2767.
115. D. Turnbull, Theory of cellular precipitation, *Acta Metallurgica* 3 (1955) 55-63
116. F. Hernandez-Santiago, N. Cayetano-Castro, V. M. Lopez-Hirata, H. J. Dorantes-Rosales, J. de Jesus Cruz-Rivera, Precipitation Kinetics in a Cu-4mass% Ti Alloy, *Materials Transactions* 45/7 (2004) 2312-2315
117. X. Molodova, G. Gottstein, M. Winning, R. J. Hellmig, Thermal stability of ECAP processed pure Cu and CuZr, *International Journal of Materials Research* 98 (2007) 269-275.
118. W. Oliferuk, Detekcja promieniowania podczerwonego w badaniach deformacji metali, *Rudy i Metale Nieżelazne* 44/1 (1999) 24-28.
119. W. Oliferuk, M. Maj, Identyfikacja składników energii zmagazynowanej podczas jednoosiowego rozciągania, *Rudy i Metale Nieżelazne* 52/11 (2007) 695-702.
120. W. Oliferuk, M. Maj, Energy storage rate and plastic instability, *Archives Of Metallurgy and Materials* 52/2 (2007) 250-256.
121. W. Oliferuk, M. Maj, Components of energy storage rate during plastic deformation and their identification, *Rudy i Metale Nieżelazne* 54/11 (2009) 732-735.
122. M.F. Ashby, G.S. Ansell, *Oxide Dispersion Strengthening*, Gordon and Breach, New York, 1958.
123. H. Hallberg, M. Wallin, M. Ristinmaa, Simulation of discontinuous dynamic recrystallization in pure Cu using a probabilistic cellular automaton, *Computational Materials Science* 49 (2010) 25-34.
124. A.N. Kolmogorov, *Izv. Akad. Nauk USSR, Ser. Mathemat* 1/3 (1937) 355-59.
125. W.A. Johnson, R.F. Mehl, Transition reaction kinetics in processes of nucleation and growth, *AIME* 135 (1939) 416- 430.
126. M. Avrami, Kinetics of phase change, I. General theory, *Journal of Chemical Physics*, 7 (1939) 1103-1112.
127. M. Avrami, Kinetics of phase change, Transformation-time relations for random distribution of nuclei, *Journal of Chemical Physics* 8 (1940) 212-224.
128. R.A. Vandermeer, D. Juul Jensen, Quantifying Recrystallization nucleation and growth of cold-worked copper by microstructural analysis kinetics, *Metallurgical and Materials Transactions A* 26, (1995) 2227-2235.
129. T. Szykowny, J. Szczytkowski, Zgniot i rekrytalizacja żeliwa sferoidalnego, *Archiwum Odlewnictwa* 4/12 (2004) 147-154.
130. I. Wierszyłowski, S. Wiczorek, A. Stankowiak, J. Samolczyk, Kinetyka przemian podczas przesyłania i starzenia stopu Al-4,7% Cu, *Obróbka Plastyczna Metali* 5 (2005).
131. M. Niewczas, O. Engler, J.D. Embury, The recrystallization of copper single crystals deformed at 4.2 K, *Acta Materialia* 52 (2004) 539-552.
132. J. Freudenberg, A. Kauffmann, H. Klauß, T. Marr, K. Nenkov, V. Subramanya Sarma, L. Schultz, Studies on recrystallization of single-phase copper alloys by resistance measurements, *Acta Materialia* 58 (2010) 2324-2329.

133. CSN EN 12166:1998 Copper and copper alloys - Wire for general purposes
134. V. Daniel, H. Lipson, Proceedings of the Royal Society 18A (1943) 368.
135. P. Prasad Rao, B.K. Agrawal, A.M. Rao, Comparative study of spinodal decomposition in symmetric and asymmetric Cu-Ni-Cr alloys, Journal Of Materials Science 26 (1991) 1485-1496.
136. L.D. Wang, C.L. Chen, M.K. Kang, On the Daniel-Lipson's wavelength formula of spinodal decomposition, Scripta Mater 42 (2000) 725-730.
137. K. Sato, Direct Observations on Precipitation in Copper-Titanium Alloys, Transactions of the Japan Institute of Metals 7/4 (1966) 267-272.
138. E. Donoso, G. Diaz, A. Zuniga, Efecto da la adición de cadmio en la precipitación de aleaciones de Cu-Ti, Congreso SAM/CONAMET 2007, San Nicolas, Buenos Aires, 2007, 350-355.
139. E. Donoso, G. Diaz, J.M. Criado, Kinetics analysis of precipitation in a quasi-binary Cu-1 at.% CoTi alloy, Journal of Thermal analysis and Calorimetry 91/2 (2008) 491-495.
140. J. C. Fisher, Journal of Applied Physics, 22/74 (1951).
141. M.J. Buehler, A. Hartmaier, H. Gao, Journal of the Mechanics and Physics of Solids 51 (2003) 2105.
142. D. Wolf, V. Yamakov, S. R. Phillpot, A. K. Mukherjee, Z. Metallk, 94 (2003) 1052.
143. H.J. Frost, M.F. Ashby, Deformation-Mechanism Maps, Pergamon Press, Oxford (1982) 21.
144. Y. Iijima, K. Hoshino, K-I. Hirano, Diffusion of titanium in copper, Metallurgical Transactions A 8 (1977) 997-1001.
145. N. Karlsson, An X-ray study of the phases in the copper-titanium system, Journal : Institute of Metals 79 (1951) 391-405.
146. A. Korbel, W. Bochniak, A. Pawelek, Optymalizacja własności wytrzymałościowych i elektrycznych miedzi stopowych, Archiwum Hutnictwa 26/2(1981) 253-275.
147. A. Zięba, Analiza danych w naukach ścisłych i technice, PWN, Warszawa 2013.
148. M. Konieczny, Laminar copper-intermetallics composite - generation and properties, Kompozyty 6 (2006) 52-55.